EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)



Issuing date: 28.11.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Trade name	: EOLYS (TM) DPX42 KITS
1.2 Relevant identified uses of the substance	e or mixture and uses advised against
Uses of the Substance/Mixture	: Specific use(s): Fuels and fuel additives
Uses advised against	: Reserved for industrial and professional use.
1.3 Details of the supplier of the safety data	<u>sheet</u>
Company	: RHODIA OPERATIONS Z.I. 26 rue Chef de Baie 17041 La Rochelle Cedex 1 - France Tel : +33 (0)5.46.68.34.56
E-mail address	: information.fds@solvay.com
1.4 Emergency telephone number	
MULTI LINGUAL EMERGENCY NUMBER (24/ Europe/America/Africa : +44 1235 239 670 (UK Middle East/Africa speaking Arabic : +44 1235 2 Asia Pacific : +65 3158 1074 (Singapore) China : +86 10 5100 3039 (Beijing))
SECTION 2: Hazards identification	
2.1 Classification of the substance or mixtur	<u>e</u>
Classification (REGULATION (EC) No 1272/2	2008)
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways. EUH066: Repeated exposure may cause skin dryness or cracking.
Classification (67/548/EEC,1999/45/EC)	
Xn: Harmful	R65: Harmful: may cause lung damage if swallowed. R66: Repeated exposure may cause skin dryness or cracking.
2.2 Label elements	
Hazardous products which must be listed or	n the label:
• 90622-58-5 Hydrocar	bons, C11-C13, Isoalkanes, <2% aromatics
REGULATION (EC) No 1272/2008	
Pictogram	
Signal word	: Danger
Hazard statements	: H304 May be fatal if swallowed and enters airways.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SOLVAY EOLYS (TM) DPX42 KITS Revision: 7.00 EU (EN) Issuing date: 28.11.2013 **Response:** Precautionary statements : P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P331 Do NOT induce vomiting. Storage: P405 Store locked up. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant. 2.3 Other hazards which do not result in classification Results of PBT and vPvB assessment This mixture contains no substance considered to be persistent and : bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB). **SECTION 3: Composition/information on ingredients** 3.1 Substance Not applicable, this product is a mixture.

3.2 Mixture

Chemical nature

: mixture based on

Isoparaffin solvent Organic compound of Cerium

Information on Components and Impurities

Chemical Name	Identification number	Classification 67/548/EEC	Classification REGULATION (EC) No 1272/2008	Concentration [%]
Hydrocarbons, C11-C13, Isoalkanes, <2% aromatics	CAS-No. : 90622-58-5 EINECS-No. : 292-460-6 Registration nun	Xn; R65 R66 hber: 01-21194568	Aspiration hazard , Category 1 ; H304	>= 90
	self classification			
Cerium Oxide Isostearate	CAS-No. : 346608-13-7	R53	Chronic aquatic toxicity , Category 4 ; H413	< 10
	self classification		'	•


For the full text of the R-phrases mentioned in this Section, see Section 16. For the full text of the H-Statements mentioned in this Section, see Section 16.

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY



4.1 Description of first aid measures

General advice	:	Show this safety data sheet to the doctor in attendance. First aider needs to protect himself. Place affected clothing in a sealed bag for subsequent decontamination.
If inhaled	:	If inhaled, remove to fresh air. Consult a physician if necessary.
Skin contact	:	Take off contaminated clothing and shoes immediately.
Eye contact	:	Rinse with running water whilst keeping the eyes wide open (at least 15 minutes)
Ingestion	:	Do NOT induce vomiting. Do not give anything to drink. Consult a physician if necessary.
4.2 Most important symptoms and effects, no data available	<u>both</u>	acute and delayed
4.3 Indication of any immediate medical att	entic	on and special treatment needed
no data available		
SECTION 5: Firefighting measures		
Flash point	:	> 62 °C Solvent
Auto-ignition temperature	:	> 200 °C, estimated > 200 °C, Solvent 135 °C, rare earth(s) compound(s)
Flammability/Explosive limit	:	Lower flammability/explosion limit : no data available Upper flammability/explosion limit : no data available
5.1 Extinguishing media		
Suitable extinguishing media	:	Foam powder Carbon dioxide (CO2)
Unsuitable extinguishing media	:	High volume water jet
5.2 Special hazards arising from the substa	ance	or mixture
Specific hazards during firefighting	:	Combustible liquid
5.3 Advice for firefighters		
Special protective equipment for firefighters	:	Gloves Goggles Boots Full protective suit Self-contained breathing apparatus (EN 133)

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY



6.1 Personal precautions, protective equipment and emergency procedures

6.1 Personal precautions, protective equip	ment	and emergency procedures
Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Avoid contact with the skin and the eyes. Do not breathe vapour. Personal protective equipment Self-contained breathing apparatus (EN 133) Safety glasses Boots Complete suit protecting against chemicals Impervious gloves Nitriles Keep away from flames and hot surfaces. Wear suitable protective clothing.
6.2 Environmental precautions		
Environmental precautions	Ė	Prevent product from entering sewage system. Dam up.
6.3 Methods and materials for containment	t and	cleaning up
Recovery	:	Pump up the product into a spare container :- suitably labelled. Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal.
Decontamination/cleaning	:	Wash off with plenty of water.
Disposal	:	Dispose of contents/ container to an approved incineration plant.
6.4 Reference to other sections		
no data available		
SECTION 7: Handling and storage		
7.1 Precautions for safe handling		
Technical measures	:	Take measures to prevent the build up of electrostatic charge.
Advice on safe handling and usage	:	Provide adequate ventilation. Use with local exhaust ventilation.

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY

7.2 Conditions for safe storage, including any incompatibilities Storage conditions Recommended Keep in a cool, well-ventilated place. To be avoided Store away from heat. • Keep away from open flames, hot surfaces and sources of ignition. Keep away from incompatible materials to be indicated by the manufacturer Incompatible products • Acids Alkalis and caustic products. Reducing materials. **Packaging Measures** Packaging materials - Recommended Stainless steel, Teflon (R), Hydrocarbon resistant materials. : Packaging materials - To be avoided rubbers. : Storage temperature no data available 7.3 Specific end use(s) no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment	
Respiratory protection	: Use a respirator with an approved filter if a risk assessment indicates this is necessary.
Hand protection	 Where there is a risk of contact with hands, use appropriate gloves Nitriles The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Gloves must be inspected prior to use.
Eye protection	: Safety glasses
Skin and body protection	: Full protective suit Remove and wash contaminated clothing.
Hygiene measures	 Ensure that eyewash stations and safety showers are close to the workstation location. Use clean, well-maintained personal protection equipment. Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke.

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY

Environmental exposure controls

General advice

: Prevent product from entering sewage system. Dam up.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties			
Appearance	:	Physical state: liquid Colour: brown	
Odour	:	Hydrocarbons	
Odour Threshold	÷	no data available	
рН	ŀ	Not applicable insoluble product	
Boiling point/boiling range	:	188 - 204 °C	
	:	not applicable	
Flash point	:	> 62 °C Solvent	
Evaporation rate (Butylacetate = 1)	:	no data available	
Flammability (solid, gas)	:	no data available	
Flammability/Explosive limit	:	Lower flammability/explosion limit: no data available Upper flammability/explosion limit: no data available	
Auto-ignition temperature	:	> 200 °C estimated > 200 °C Solvent 135 °C rare earth(s) compound(s)	
Vapour pressure	:	47,5 hPa (38 °C)	
Vapour density	:	no data available	
Density	:	0,812 g/cm3 (15 °C)	
Solubility	:	Water solubility : < 0,002 mg/l rare earth(s) compound(s) < 1 mg/l Solvent	
		Solubility in other solvents: common organic solvents : soluble	
Partition coefficient: n-octanol/water	:	log Pow: 4,57 rare earth(s) compound(s)	
Thermal decomposition	:	no data available	
Viscosity	:	Viscosity, dynamic : no data available	
		Viscosity, kinematic : 1,806 mm2/s (25 °C)	

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SOLVAY EOLYS (TM) DPX42 KITS Revision: 7.00 EU (EN) Issuing date: 28.11.2013 Explosive properties Not explosive : Structure-activity relationship (SAR), Solvent Not explosive rare earth(s) compound(s) negative Mechanical sensitivity (friction) negative Mechanical sensitivity (shock) negative Thermal sensitivity Method : EU Test Guideline A14 Oxidizing properties Not considered as oxidizing, Structure-activity relationship (SAR), Solvent : rare earth(s) compound(s), Non oxidizing material according to EC criteria 9.2 Other information Oxidation/Reduction Potential no data available **SECTION 10: Stability and reactivity** 10.1 Reactivity no data available 10.2 Chemical stability Chemical stability Stable at room temperature. : 10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Materials to avoid

Strong bases Strong oxidizing agents Mineral acids.

10.6 Hazardous decomposition products

no data available

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY


SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity		
Acute oral toxicity	:	According to the data on the components Not classified as harmful if swallowed According to the classification criteria for mixtures. Unpublished internal reports Unpublished reports
Acute inhalation toxicity	:	Effects of breathing high concentrations of vapour may include:
		Symptoms: Headache Dizziness Lung irritation
Acute dermal toxicity	: F	According to the data on the components Not classified as harmful by contact with skin According to the classification criteria for mixtures. Unpublished internal reports Unpublished reports
Acute toxicity (other routes of administration)	:	no data available
Skin corrosion/irritation		
Skin irritation	:	According to the data on the components Mild skin irritation Repeated exposure may cause skin dryness or cracking. According to the classification criteria for mixtures. Unpublished internal reports Unpublished reports
Serious eye damage/eye irritation		
Eye irritation	:	According to the data on the components Not classified as irritating to eyes According to the classification criteria for mixtures. Unpublished internal reports Unpublished reports
Respiratory or skin sensitization		
Sensitisation	:	Inhalation no data available Dermal According to the data on the components Not classified as sensitising by skin contact According to the classification criteria for mixtures. Unpublished internal reports Unpublished reports

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)



Solvay

Mutagenicity	
Genotoxicity in vitro	 No genotoxic potential was observed in tests performed on the components of the preparation Unpublished internal reports Unpublished reports
Genotoxicity in vivo	: no data available
Carcinogenicity	
Carcinogenicity	: no data available
Toxicity for reproduction and developme	ent
Toxicity to reproduction/Fertility	 Tests done on the components of the preparation have not revealed reproductive effects Unpublished internal reports Unpublished reports In the tests done on the components of the preparation
	No effect observed on development Unpublished internal reports Unpublished reports
STOT	
STOT - single exposure	: Toxicology Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure., internal evaluation
STOT - repeated exposure	: Toxicology Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure., internal evaluation
	Oral According to the data on the components No adverse effect has been observed in chronic toxicity tests. Unpublished internal reports Unpublished reports
	Inhalation According to the data on the components No adverse effect has been observed in chronic toxicity tests. Unpublished internal reports Unpublished reports
Aspiration toxicity	
Aspiration toxicity	 According to the data on the components, May be fatal if swallowed and enters airways., According to the classification criteria for mixtures., Unpublished reports

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY

SECTION 12: Ecological information

12.1 Toxicity



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006	SOLVAY
EOLYS (TM) DPX42 KITS	
Revision: 7.00 EU (EN)	Issuing date: 28.11.2013
Ecotoxicity assessment	
Acute aquatic toxicity	 According to the data on the components The product does not have any known adverse effects on the aquatic organisms tested Unpublished internal reports Unpublished reports
Chronic aquatic toxicity	 According to the data on the components Does not have any known long-term adverse effects on the aquatic organisms tested Unpublished internal reports Unpublished reports
12.2 Persistence and degradability	
Biodegradability	
Biodegradability Hydrocarbons, C11-C13, Isoalkanes, <2% aromatics	: By analogy Inherently biodegradable. Method: OECD Test Guideline 301 F Unpublished reports
Cerium Oxide Isostearate	 Ultimate aerobic biodegradability Not readily biodegradable. 38 % - 29 d Method: OECD Test Guideline 301 B Unpublished internal reports
12.3 Bioaccumulative potential	
Partition coefficient: n-octanol/water Cerium Oxide Isostearate	: Bioaccumulative potential Structure-activity relationship (SAR)
12.4 Mobility in soil	
Adsorption potential (Koc) Cerium Oxide Isostearate	: Koc: 6334,32 Log Koc: 3,80 Calculation method Unpublished internal reports
Known distribution to environmental compartments	: Predicted distribution to environmental compartments
12.5 Results of PBT and vPvB assessment	
Results of PBT and vPvB assessment	: This mixture contains no substance considered to be persistent and bioaccumulating and toxic (PBT)., This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 SOLVAY EOLYS (TM) DPX42 KITS Revision: 7.00 EU (EN) Issuing date: 28.11.2013 12.6 Other adverse effects Environment assessment Not classified as Dangerous for the Environment, according to EC criteria According to the classification criteria for mixtures. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods **Product Disposal** Advice on Disposal Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Advice on cleaning and disposal of packaging Advice Carefully drain and then steam clean. Reason for waste disposal May be reused following decontamination. Other data Dispose of in accordance with local regulations. **SECTION 14: Transport information** ADR Not Regulated RID Not Regulated

IMDG Not Regulated

IATA Not Regulated

ADN/ADNR Not Regulated

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

According to our knowledge, no specific regulatory information.

15.2 Chemical Safety Assessment

no data available

EOLYS (TM) DPX42 KITS

Revision: 7.00 EU (EN)

Issuing date: 28.11.2013

SOLVAY

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3					
R53 R65 R66	May cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.				
Full text of H-Statements referre	ed to under sections 2 and 3.				
H304 H413	May be fatal if swallowed and enters airways. May cause long lasting harmful effects to aquatic life.				
Full text of P-Statements referred to under sections 2 and 3.					
P301 + P310 P331 P405 P501	IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Do NOT induce vomiting. Store locked up. Dispose of contents/ container to an approved waste disposal plant.				
Further information	: Mixture in CLP Format				

NB: In this document the numerical separator of the thousands is the "." (point), the decimal separator is "," (comma). The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in an other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.